Neonatal Care of Sea Turtle Hatchlings Thoughts and Techniques



Carla Daniel, Barbados Sea Turtle Project

WIDECAST Annual General Meeting Trinidad, 2018


Hatchling Encounters





Embryonic Development





• A Nest and its Developing Eggs, Reprinted from Our Sea Turtles: A Practical Guide for the Atlantic and Gulf, from Canada to Mexico, Blair and Dawn Witherington

Final Days



 One of the last stages of hatchling development is the absorption of the Yolk. Fully Developed hatchlings have a smooth closed plastron.





Premature Hatchlings



Resulting from

- Predation
- Washout
- Excavation
- Disturbance







How can you help? Hatchling ICU


- 1000 J

- 1.Cups
- 2.Tissue
- 3. Rubber bands













Important Considerations



- Are the hatchlings viable?
- >> (deformities, too premature, ruptured yolk)





Important Considerations



- Is the ICU the best option?
- >> What about relocation or container incubation? How many?





Important Considerations



- Should the hatchling be removed from the egg?
- >> How and when was it pipped?



If yes –

If present remove membrane from around body

Rinse gently in clean fresh water

Troubleshooting - Lord of the flies!

- There are larvae (maggots) eating the hatchling!
- >> Recovery is possible.



Avoid by -

- -Washing hatchling if esposed
- -Cover cup securely
- -Cover ICU with net
- -CHECK DAILY

Release!



• Keep for as little time as possible (release with company)





Please Remember



- Ensure the tissue completely covers the top of the cup
- Ensure that there are no holes in the tissue
- That both tissues are clean and damp
- CHECK DAILY
- RELEASE ASAP



